



2.7KW 3D Wire Bending Machine Computer Control For Soft Material

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JX3D2-6
- Minimum Order Quantity: 1 set
- Price: consult
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 20 Set/Sets per Month



Product Specification

- Product Name: 3D Wire Bending Machine Computer Control Molding Machine
- Machine Type: 3D Wire Bending Machine
- Control System: PLC
- Applicable Industries: Hardware, wire Processing
- Warranty Of Core Components: 1 Year
- Wire Size: $\phi 2-6\text{mm}$
- No. Of Axis: 7 Axis
- Highlight: 3D Wire Bending Machine
- Automation: Automatic
- Weight (KG): 1800
- Port: Shenzhen
- Highlight: **2.7KW 3D Wire Bending Machine, 3D Wire Bending Machine Computer Control**



Product Description


3D wire bending machine

Performance characteristics

1. The computer starts and shuts down quickly, and the operation is simple and convenient. The computer interface can change the program while adjusting speed while producing.
2. High brand high-speed motor and reducer are used in configuration, and the production speed is more than 25% higher than that of similar products in domestic peers.
3. The production can realize that the angle does not change at the slowest angle, and the production stability is better.
4. Bearings, gears and other important parts are imported brand accessories, with a 365 day warranty, and the equipment is durable and reliable.
5. With high precision, it can be used for wire rod forming products in the range of 2.0-10 mm wire diameter, and the error is reduced to 0.1 mm6. The matching use of steel wire butt joint machine makes the wire change operation of the machine more convenient.7. It can be connected to the Internet and WiFi through mobile phone or computer to realize remote control, which makes after-sales service more convenient.

Technical Parameters

Model	JX3D-6	JX3D-8	JX3D-10
No. of axis	380V,7 axis	380V,7 axis	380V,7 axis
Machining wire diameter(MM)	Hard material Φ2.0 Φ4.0 Soft material Φ2.0 Φ6.0	Hard material Φ3.0 Φ6.0 Soft materialΦ3.0 Φ8.0	Hard materialΦ3.0 Φ8.0 Soft materialΦ3.0 Φ10.0
Number of wire feeding wheels	3 groups	3 groups	3 groups
Spool servo motor (KW)	2	2.7	4.5
Head shaft servo motor (KW)	2	2.7	4.5
Cutter shaft servo motor(KW)	1	1	2
Lifting shaft servo motor (KW)	1	1	2
Angle axis servo motor (KW)	1	1	1
Machine size (MM)	3800X1860X1660	3800X1860X1660	3800X1860X1660



Applicable to various industries

(1) Auto parts: production of child seat frame, door lock pull rod, snake spring, including one snake and two snakes, auto cathead spring, sun visor rail frame, auto seat wire, motorcycle parts, bicycle parts, lift car, etc.

(2) Daily hardware: kitchen display rack, storage rack, egg dispenser, cabinet basket, refrigerator rack, bathroom display rack, etc.

(3) Wire craft products, lighting molding products, fishing gear parts products, wine racks, family fruit plates, garden flower

racks, Christmas wire gifts, etc.

(4) Processing of all kinds of cages: bird cage, dog cage, pet cage, breeding cage, rat cage, etc. Clothes hanger, shoe hanger, curtain hook, shelf hook, display hook and other hooks

(5) Production supplies: storage rack, mesh, hook, display rack, assembly line accessories, etc.

Independent R & D and production, focusing on welding and forming equipment for more than 20 years. It is exported to the world, and there are sales companies in Vietnam. It has accumulated tens of thousands of customers.

Q: What is your normal lead time?

A. If there is stock, our company usually receives the payment for goods and delivers them within a week. If it needs to be customized, the delivery cycle is usually 3-4 weeks after receiving the deposit.

Q: What are your terms of payment?

A: We accept TT.

Q: What kind of packing do you offer?

A. Packaging is usually installed for the export of plywood boxes.

Q: What is the minimum order quantity you can produce?

A. Usually we have them in stock, and the minimum order is 1 set.

Q: How to control product quality?

A. We always attach great importance to product quality. Before leaving the factory, it will be fully aged and debugged. And we always adhere to the principle of "providing customers with better quality, better price and better service."



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China