

70m/Min Metal 2D Wire Bending Machine 6mm For Kitchen Cart

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- J2D-2-8 1 set

100 Sets per Month

Jin Hongxiang

Guangdong, China

Negotiable

CE

- Export wooden case
- 5-10 days or negotiation
- L/C, T/T



Product Specification

- Function:
- Control System:
- Applicable Industries:
- Wire Size:
- Warranty:
- Wire Feeding Speed:

- Bend The Iron Wire Into Various Shapes
- Servo Motor, Planetary Reducer
- Wire Processing And Forming
- ø2-6mm 1 Year

70 M/MIN)

- Highlight:
- 70m/Min 2D Wire Bending Machine, 2D Wire Bending Machine Kitchen Cart, Metal Bending Machine 6mm



Our Product Introduction

Automatic 2D Wire Bending Machine **Product Description**

2D forming machine is a plane 2D wire bending forming machine. The forming process of wire shapes with different specifications can be realized through various transformations of molds. There are servo feeding + hydraulic cut-off combination, servo feeding + servo cut-off and full servo combination, which can be selected according to the size of actual products to achieve the highest cost performance. According to the needs of products, chamfering, arc punching, punching and other functions can also be added to achieve wider application and use.

The equipment can straighten the protective wire + clamp + accurate wire feeding + forming + cutting at one go. ne

Technical parameter	of 2D	molding	machir
---------------------	-------	---------	--------

Model	J2D-2-6	J2D-2-8	J2D-2-10	JS2D-2-6
Number axes	3	3	3	4
Processing line diameter(MM)	Hard wire ø2-4	Hard wire ø2-6	Hard wire ø2-8	Hard wire ø2-4
	Flexible wire ø2-6	Flexible wire ø2-8	Flexible wire ø2-10	Flexible wire øa 6
Number of delivery wheels (Group)	3	3	3	3
Control system	32-bit high- performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high- performance processor, can store 2048 files, programming accuracy 0.01	32-bit high- performance processor, cat store 2048 file: programming accuracy 0.01
Maximum wire speed(M/MIN)	80	70	60	90
Movement direction	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die ca be raised and lowered, and th positive and negative motic can be realize
Wire delivery accuracy(mm)	±0.1	±0.1	±0.1	±0.1
Solenoid valve and quantity	nothing	nothing	nothing	3
Input power	380V,50/60HZ	380V,50/60HZ	380V,50/60HZ	380V,50/60H

Applicable to various industries

(1) Auto parts: production of child seat frame, door lock pull rod, snake spring, including one snake and two snakes, auto cathead spring, sun visor rail frame, auto seat wire, motorcycle parts, bicycle parts, lift car, etc.

(2) Daily hardware: kitchen display rack, storage rack, egg dispenser, cabinet basket, refrigerator rack, bathroom display rack, etc.

(3)Wire craft products, lighting molding products, fishing gear parts products, wine racks, family fruit plates, garden flower racks, Christmas wire gifts, etc.

(4) Processing of all kinds of cages: bird cage, dog cage, pet cage, breeding cage, rat cage, etc. Clothes hanger, shoe hanger, curtain hook, shelf hook, display hook and other hooks .

(5) Production supplies: storage rack, mesh, hook, display rack, assembly line accessories, etc.



No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China