

# 90m/Min 2D Wire Bending Machine 6mm Automatic Wire Forming Machine With Servo Motor

### **Basic Information**

Place of Origin: Guangdong, ChinaBrand Name: Jin Hongxiang

Certification: CE
Model Number: J2D-2-6
Minimum Order Quantity: 1 set
Price: Negotiable

Packaging Details: Export wooden caseDelivery Time: 5-10 days or negotiation

Payment Terms: L/C, T/T

Supply Ability: 100 Sets per Month



### **Product Specification**

• Function: Bend The Iron Wire Into Various Shapes

Control System: Servo Motor, Planetary Reducer
 Applicable Industries: Wire Processing And Forming

Wire Size: Ø2-6mmWarranty: 1 YearWire Feeding Speed: 80 M/MIN)

Highlight: 90m/min 2D Wire Bending Machine,
 2D Wire Bending Machine Servo Motor,

2D Wire Bending Machine Servo Motor, 6mm Automatic Wire Forming Machine



### **Product Description**

## Automatic molding chamfering machine, bending line chamfering machine Product Description

2D forming machine is a plane 2D wire bending forming machine. The forming process of wire shapes with different specifications can be realized through various transformations of molds. There are servo feeding + hydraulic cut-off combination, servo feeding + servo cut-off and full servo combination, which can be selected according to the size of actual products to achieve the highest cost performance. According to the needs of products, chamfering, arc punching, punching and other functions can also be added to achieve wider application and use.

# Multi-function, to achieve a double function. Molding, chamfering once completed Molding + chamfering

9

Technical parameter of 2D molding machine

Model	J2D-2-6	J2D-2-8	J2D-2-10	JS2D-2-6
Number axes	3	3	3	4
	Hard wire ø2-4	Hard wire ø2-6	Hard wire ø2-8	Hard wire ø2-4
g line diameter( MM)	Flexible wire ø2-6	Flexible wire ø2-8	Flexible wire ø2-10	Flexible wire ø2-6
Number of delivery wheels (Group)	3	3	3	3
Control system	processor, can store 2048 files, programming accuracy	processor, can store 2048 files, programming accuracy	processor, can store 2048 files, programming accuracy	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01
Maximum wire speed(M/ MIN)	80	70	60	90
Movement direction		· · · · · · · · · · · · · · · · · · ·	and lowered, and the positive and negative motion	rotating die can be raised and lowered, and the positive and negative motion can be realized
accuracy( mm)	±0.1	±0.1	±0.1	±0.1
Solenoid valve and quantity	nothing	nothing	nothing	3
Input power	380V,50/60HZ	380V,50/60HZ	380V,50/60HZ	380V,50/60HZ

#### Export packaging of forming and chamfering machine



#### Applicable to various industries

- (1) Auto parts: production of child seat frame, door lock pull rod, snake spring, including one snake and two snakes, auto cathead spring, sun visor rail frame, auto seat wire, motorcycle parts, bicycle parts, lift car, etc.
- (2) Daily hardware: kitchen display rack, storage rack, egg dispenser, cabinet basket, refrigerator rack, bathroom display rack, etc.
- (3)Wire craft products, lighting molding products, fishing gear parts products, wine racks, family fruit plates, garden flower racks, Christmas wire gifts, etc.
- (4)Processing of all kinds of cages: bird cage, dog cage, pet cage, breeding cage, rat cage, etc. Clothes hanger, shoe hanger, curtain hook, shelf hook, display hook and other hooks.
- (5)Production supplies: storage rack, mesh, hook, display rack, assembly line accessories, etc.





Supermarket double hook



### Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China