




## Flat Iron Ring Making Machine 380V 50HZ Numerical Control Ring Maker Machine

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JQ2-10MM
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiatio
- Supply Ability: 100 Sets per Month



#### Product Specification

- Function: Wire Circle Forming, Making, looping
- Control System: PLC Display Screen, Servo Motor
- Applicable Industries: Lampshade, Fan Net Cover, Commodity Shelf, Flower Rack,
- Wire Size:  $\varnothing 2-10\text{mm}$
- Warranty: 1 Year
- Advantage: High Efficient Simple Operation
- Port: Shenzhen ,China
- Control: Numerical Control
- Voltage: 380V/50HZ
- Highlight: **380V Iron Ring Making Machine, 50HZ Iron Ring Making Machine, 50HZ Ring Maker Machine**



## Product Description

### Flat iron looping machine, Flat iron circle machine

#### Performance characteristics

1. Servo feeding - fast and accurate, speed adjustable. Oil pressure cut-off - large force, easy and powerful line cutting.



2. PLC programming + man-machine interface display, easy to operate and learn. High end servo + planetary reducer.



3. Precision CNC turning and milling. Gear, shaft, wire feeding wheel and other finishing, special hardening, surface grinding and polishing, high hardness, smooth and wear-resistant.

**齿轮坚硬，有韧性，光滑，精加工**  
**gear is hard, tough, smooth and finish machined**



**送线轮 光洁，耐磨，多线槽，精加工**  
**wire feeding wheel is smooth, wear-resistant,**  
**multi trunking and finish machining**



Technical parameters of servo circle machine

Model	JQ2-6MM	JQ2-8MM	JQ2-10MM
Wire diameter range (MM)	Hard wire2-4 lexible cord2-6	Hard wire2-6 Flexible cord2-8	Hard wire2-8 Flexible cord2-10
Servo device	1KW+5B	1.5KW+5B	2.3KW+10B
Hydraulic device	1.5KW	2.2KW	2.2KW
Maximum wire feeding speed(M/MIN)	70	60	50
Circle diameter range (MM)	50-800	50-800	50-800
Circle diameter Tolerance MM	±0.3	±0.3	±0.3
Axis	2	2	4
Dimension(CM)	145*75*142	145*75*142	175*75*142

#### Application

Building cement pole, circular cement sewer skeleton.

Industrial environmental protection dust removal framework, industrial fan net cover, industrial precision parts pull ring, bicycle steel ring.

Household products fan net cover, lampshade, handicrafts, display rack, flower pot rack, luggage fasteners.

Household kitchenware, hardware kitchenware, stove rack, wine / cup rack.

Round pet cage, bird cage, poultry, animal food rack for pets.

The main material is flat iron. The commonly used flat iron is 1.5 \* 6, 2-6, 2 \* 10, 2 \* 8, 1.5 \* 20, 2.5 \* 30

#### Sample display circle

Stove ring beating machine



**Dongguan Jinghongxiang Automation Equipment Co., Ltd.**



13925780098



ihx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China