



## 2mm - 10mm 3D Wire Bending Machine 380V Wire Processing Machine

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JX3D2-8
- Minimum Order Quantity: 1 set
- Price: consult
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 20 Set/Sets per Month



#### Product Specification

- Product Name: 3D Wire Bending Machine
- Machine Type: 3D
- Control System: PLC+servo
- Applicable Industries: Hardware, wire Processing
- Warranty Of Core Components: 1 Year
- Wire Size:  $\phi 2-10\text{mm}$
- No. Of Axis: 7 Axis
- Highlight: 3D Wire Bending Machine
- Automation: Automatic
- Port: Shenzhen
- Highlight: **2mm 3D Wire Bending Machine, 10mm 3D Wire Bending Machine, 380V Wire Processing Machine**



## Product Description

### 3D Wire Bending Machine 2-10MM

This 3D molding machine is for iron wire with a diameter of 2-10mm

The biggest feature of this machine is that the iron wire rotates and the head is fixed

Performance characteristics

1. The computer starts and shuts down quickly, and the operation is simple and convenient. The computer interface can change the program while adjusting speed while producing.
2. High brand high-speed motor and reducer are used in configuration, and the production speed is more than 25% higher than that of similar products in domestic peers.
3. The production can realize that the angle does not change at the slowest angle, and the production stability is better.
4. Bearings, gears and other important parts are imported brand accessories, with a 365 day warranty, and the equipment is durable and reliable.
5. With high precision, it can be used for wire rod forming products in the range of 2.0-10 mm wire diameter, and the error is reduced to 0.1 mm
6. The matching use of steel wire butt joint machine makes the wire change operation of the machine more convenient.
7. It can be connected to the Internet and WiFi through mobile phone or computer to realize remote control, which makes after-sales service more convenient.

#### Technical Parameters

| Model                          | JX3D-6                              | JX3D-8                              | JX3D-10                              |
|--------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| No. of axis                    | 380V,7 axis                         | 380V,7 axis                         | 380V,7 axis                          |
| Machining wire diameter(MM)    | Hard material $\Phi 2.0$ $\Phi 4.0$ | Hard material $\Phi 3.0$ $\Phi 6.0$ | Hard material $\Phi 3.0$ $\Phi 8.0$  |
|                                | Soft material $\Phi 2.0$ $\Phi 6.0$ | Soft material $\Phi 3.0$ $\Phi 8.0$ | Soft material $\Phi 3.0$ $\Phi 10.0$ |
| Number of wire feeding wheels  | 3 groups                            | 3 groups                            | 3 groups                             |
| Spool servo motor (KW)         | 2                                   | 2.7                                 | 4.5                                  |
| Head shaft servo motor (KW)    | 2                                   | 2.7                                 | 4.5                                  |
| Cutter shaft servo motor(KW)   | 1                                   | 1                                   | 2                                    |
| Lifting shaft servo motor (KW) | 1                                   | 1                                   | 2                                    |
| Angle axis servo motor (KW)    | 1                                   | 1                                   | 1                                    |
| Machine size (MM)              | 3800X1860X1660                      | 3800X1860X1660                      | 3800X1860X1660                       |

3D bending product display





**Dongguan Jinghongxiang Automation Equipment Co., Ltd.**



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China