




Counting Wire Forming Machine Circle Making Machine 2mm - 4mm For Flowerpot Stand

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: J2-8MM
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export safety wooden case
- Delivery Time: 5-10 days or negotiation
- Supply Ability: 50 Set/Sets per Month



Product Specification

- Product Name: Circle Making And Butt Welding Machine
- Machine Type: Circle Making + Butt Welding, Multi-function
- Core Components: Taiwan Water-cooled Transformer, Electric Bay Solenoid Valve, PLC Programming, Precision Servo
- Applicable Industries: Environmental Protection Dust Removal Framework, Fan Net Cover, Cement Pole, Lampshade, Handicrafts, Flowerpot Rack, Luggage Fastener, Daily Hardware Kitchen And Sanitary Appliances.
- Control System: PLC Programming + Human-machine Interface Display.
- Feature: Fully Automatic
- Function: Counting/ Sound-light Alarm/ Monitoring
- Circle Diameter Error: $\pm 0.3\text{mm}$
- Port: Shenzhen, China
- Input Voltage: 380V * 3-phase



Product Description

Circle making machine circle making + butt welding for Flowerpot stand

Full automatic ring butt welding machine is widely used in daily life tools.

Fully automatic ring forming+butt welding, multi-function

The materials used can be round iron or flat iron, or customized according to customer needs.

Nickname

All in one machine for circle and butt welding,
Automatic steel circle o and bending with welder wire ring making butt welding machine
Circle making and butt welding machine
2-6MM Grill Fan Guard Wire Ring Butt Welding Making Machine

Performance characteristics

1. Servo feeding, fast looping speed, hydraulic cutter, simple and fast, great strength. Making circle + butt welding can be completed at one time, saving time, labor and labor.
2. The whole machine CNC lathe + CNC milling has good coordination and precision. It is more guaranteed than similar products, faster and more efficient.
3. PLC programming + man-machine interface, simple debugging, Omron 2000 pulse encoder, more accurate identification. Beginners are easy to get started. It also has forward and backward, automatic and manual functions, which is convenient for debugging. Debugging OK is direct and automatic without human supervision.
4. You can make all kinds of circles, make all kinds of arcs, and make circles + butt welding. A machine has multiple functions and uses.

Structural details are displayed one by one:

1. Horizontal and vertical two groups of straightening guard wheel, thickened and hardened, double ball. The safety wire is well straightened and more durable.



2. 4 groups, 8 wire feeding forming wheels, with large force, stability and wear resistance. There are only 3 groups and 6 similar machines from other manufacturers. Moreover, the processing is accurate, and the surface of the trunking is specially smooth.



4 sets, 8 forming feeding wheels

3. The increased and thickened all red copper strip with special insulation has stronger conductivity and more guarantee for welding. The surface is transparent and can be seen with real materials.



The extra thick full red copper strip with special insulation can be seen from the real materials


Packing export, export standard wooden case.



Technical parameters of fast looping butt welding machine

| Technical parameter | | |
|--------------------------|------------------------------------|-----------------------------------|
| Model | JQDH2-6MM | JQDH2-8MM |
| Wire diameter range (MM) | Hard wire 2-4MM Flexible cord2-6MM | Hard wire2-6MM Flexible cord2-8MM |

| | | |
|-----------------------------------|---------------|---------------|
| Servo device | 2.6KW+7B | 2.3KW+10B |
| Hydraulic device | 1.5KW | 2.2KW |
| Maximum wire feeding speed(M/MIN) | 85 | 52 |
| Circle diameter range(MM) | 50-600 | 50-600 |
| Circle diameter Tolerance (MM) | ±0.3 | ±0.3 |
| Welding power | 50KVA | 60KVA |
| Pneumatic brand | Taiwan SNS | Taiwan SNS |
| Solenoid valve brand | Taiwan,AirTAC | Taiwan,AirTAC |
| Overall dimension (CM) | 220*142*127 | 220*142*127 |



Flower pot rack display



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China

