



Guardrail Small Pneumatic Spot Welder 35KVA With Electric Control Panel

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JD-35
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export safety wooden case
- Delivery Time: 5-10 working days. Or negotiation
- Supply Ability: 50 Set/Sets per Month



Product Specification

- Product Name: Spot Welder
- Applicable Industries: Building Cover Plate, Railway / Road Guardrail, Pet Cage, Storage Rack, Net Basket
- Rated Capacity: 35KVA
- Usage: Spot Welding
- Voltage: 380V, 50HZ
- Key Selling Points: Electric Control Panel
- Weight (KG): 200 KG
- Control System: Electric Control Panel
- Cylinder Stroke: 50MM
- Nominal Frequency: 50/60HZ
- Feature: Sufficient Power, Beautiful Welding, Firm And Fast Response
- Port: Shenzhen, China
- Highlight: **Small Pneumatic Spot Welder,**

Product Description

Small pneumatic spot welder For guardrail

summary

Small pneumatic spot welding machine is mainly spot welding, which is easier and more stable than foot type spot welding machine. Welding small parts is more dexterous and economical than large air pressure spot welding machine. It is more suitable for welding Bo board, diamond mesh, thin wire and shrapnel. Quick welding is possible. Real materials, keep improving. Customer satisfaction.

Maximum characteristics

It can be used in any place where 35KVA spot welder can weld. Especially for welding diamond mesh and iron mesh, it can be set continuously, and can be welded automatically and quickly. It can be welded more than 5 times in 1 second, which is very fast.





Name:

JDX-35 / 50 fast spot welder, air pressure spot welder, touch welder, pneumatic spot welder, diamond dot welder, garbage basket fast spot welder

Spot welding machine,
touch welding machine,
multi spot welding machine,
welding machine,
sheet metal spot welding machine,

air pressure spot welding machine,
butt welding machine,
medium frequency spot welding machine,
high-power spot welding machine,
wire spot welding machine,

row welding machine,
pneumatic spot welding machine,
welding machine, pneumatic
precision spot welding machine,
resistance spot welding machine,

nut spot welding machine,
stainless steel spot welding machine,
special spot welding machine,
mesh spot welding machine,
wire mesh spot welding machine,

AC spot welding machine,
galvanized sheet spot welding machine,
battery spot welding machine,
multi cylinder spot welding machine,
DC spot welding machine,

three-phase spot welding machine,
Customized spot welding machine,
Taiwan spot welding machine,
gantry spot welding machine,
small spot welding machine,

Performance characteristics

1. The cylinder can be adjustable or non adjustable according to the needs of the product. The lower arm can be fixed or moved left and right. All for the convenience of customers.
2. Mainly welding small and thin products and small workpieces. Steel structure folded plate frame, the whole machine is stable and flexible.
3. Red copper coil transformer, air-cooled, Taiwan type control box, small ignition, strong welding current and beautiful welding. Taiwan Yadeke solenoid valve has fast response and is more durable.

Detailed description


1. The lower arm can move left and right to facilitate welding of special-shaped workpieces.



2. Thickened connecting red copper strip, solid core copper conductor bar, good conductivity, more secure and stable welding.



3. Taiwan Yadeke AIRTAC solenoid valve, precision electric control box and module thyristor are better than similar configurations, with more stable and soft welding current, small spark and more beautiful welding surface.




4. Red copper coil and high-grade silicon steel transformer are the heart of the whole machine, with sufficient power and strong welding penetration. The working current is stable for a long time.



Welding principle


焊接原理展示

Display of welding principle



Display of diamond shaped network products

Used for production partition wall and photo wall net display



Cold plate welding



冷热板焊接

technical parameters

机型 Model	定容量 Rated power KVA	入 Input voltage V	定 率 Nominal frequency HZ	臂 度 arm length MM	行程 ectrode travel MM	重量 Weight KG
JDX-35	35	380	50/60	400	50	197
JDX-50	50	380	50/60	400	50	248

after-sale service:

One year quality guarantee, lifelong maintenance and lifelong technical guidance

Warm tip: our products are constantly upgrading and adjusting.

If the pictures displayed are different from the real object,

the real object shall prevail, and will be confirmed when placing the order.



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China