




Medium frequency spot welder Nut spot welding machine 180KVA

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JIDW-800+180
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export safety wooden case
- Delivery Time: 5-10 working days. Or negotiation
- Supply Ability: 50 Set/Sets per Month



Product Specification

- Product Name: Spot Welder
- Applicable Industries: Building Cover Plate, Railway / Road Guardrail, Pet Cage, Storage Rack, Net Basket
- Rated Capacity: 180KVA
- Usage: Welding, Multi-point Welding
- Voltage: 380V, 50Hz
- Key Selling Points: Taiwan's Water-cooled Wet Control Transformer Will Not Be Affected By Overload
- Weight (KG): 500KG
- Control System: Touch Electric Box Control
- Cylinder Stroke: 50MM
- Nominal Frequency: 50/60HZ
- Feature: Sufficient Power, Beautiful Welding, Firm And Fast Response
- Port: Shenzhen, China

Product Description

Medium frequency spot welder Nut spot welding machine



Name:

jlb medium frequency spot welder,
nut spot welder,
nut automatic feeding spot welder,
automatic feeding spot welder,
nut welder

Function and application:

Function:


it is used for automatic nut feeding and spot welding to iron sheet or iron pipe, which is efficient, time-saving and labor-saving.

Applications:

automobile manufacturing, mechanical assembly, aerospace manufacturing, shipbuilding.

For products with high welding requirements, the medium frequency power supply is mainly used. If the requirements are not too high, power frequency power supply can also be used.

Overall structure



Performance characteristics:

1. The whole machine has excellent design, precise processing, smooth cooperation, beautiful and firm welding. Large gas storage pipe, high-quality two-piece, water circulation electrode rod, adjustable combined cylinder, thickened upper and lower copper covers with grooves.

1-1 Adjustable connecting cylinder, large diameter, large pressure, convenient stroke adjustment



1-2 The fixed copper cover has a T-shaped groove, which is convenient for fixing the mold.




1-3 Taiwan SNS dual air source processor can control and regulate the air pressure, filter the water in the air, and provide lubricating oil for the solenoid valve. Good quality, durable and stable.



1-4 The large capacity air receiver makes the spot welding machine more stable pneumatically.



1-6 Water circulating water-cooled electrode



2. Automatic nut feeding device



2-1.Precision manufacturing technology, precision assembly, strict testing, stable and reliable performance

2-2.The vibrating disc adopts the method of screening nuts, which is different from the rotary disc type. It has high efficiency screening, convenient fault maintenance and low noise. The screening nuts can reach 50-80 / min per minute, which can ensure the nut supply of the conveying gun head. After ingenious design process, the nut can reach 99.9% anti reaction function. Multiple anti reaction design is adopted to ensure that the inversion rate of output nut is o. different nuts need different vibrating discs.

2-3.Applicable nut specification: m5-m6-m8-m10-m12 and flange nut round nut

螺母自 送料点 机技 参数Technical parameters of nut automatic feeding spot welder						
型 号 model	点 机功率 Welder power	点 机 Welding machine voltage	送料装置 Feeder voltage	送料速度 Feeding speed	外形尺寸 CMOverall dimension	重量KG Weight
JLMD-180	180KVA40000 A	380V,60HZ	220V	50-60 PCs/min	127*108*18 8CM	400KG

Welding nut display

凸焊产品展示



Warm tip:
our products are constantly upgraded and improved.
If the color or structure changes, the real object shall prevail.



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China