

Guangdong, China

Jin Hongxiang

CE

500

380V

JT-100

Negotiable

Export wooden case packaging

Round Square Tube Butt Welding Machine Horizontal Flash Butt Welder

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Supply Ability: 100 Set/Sets per Month



Product Specification

- Applicable Industries:
- Weight (KG):
- Voltage:
- Feature:
- Advantage:
- Professional Production Of Welding Equipment For More Than 20 Years

Relatively Large Round Bar

- After Warranty Service: One Year Warranty, Except For Wearing
 Parts
- Highlight:
- Parts Square Tube Butt Welding Machine, Round Tube Butt Welding Machine, Horizontal Flash Butt Welder

Hardware Furniture And Hardware Products

Butt Welded Hollow Pipe, Flat Iron, Or



Flash butt welder Flash butt welding machine

Nickname JS-100 flash welder, flash butt welder, large round bar butt welder, square pipe butt welder, iron pipe butt welder, flat iron butt welder





Function and application:

horizontal butt welding of large iron wire, wide flat iron and iron pipe. A welding interface is completed in a few seconds. The equipment has the advantages of high efficiency, high precision, firm welding, good compactness, no false welding, no pores and no slag inclusion.

Main application areas

- 1. Welding of various tableware, kitchen and tableware tools;
- 2. Butt welding of bicycles, motorcycles, car rims and other metal rings;
- 3. Butt welding of various metal wires, metal belts, iron bars and building reinforcement;
- 4. "L" shape and "t" shape welding of various round pipes and square pipes;
- 5. Diagonal welding of window frame and door frame.

Our advantages



Performance characteristics:

All red copper water circulation control device of transformer, water-saving forced cooling, imported high-grade silicon steel, with long service life, high conductivity, low power consumption and strong current. And equipped with temperature control system, overheating and overload will automatically power off for protection.



2. Thyristor, the main circuit adopts high-power SCR contactless switch, water-saving forced cooling and long-term durability.



3. The push cylinder is a pneumatic oil booster cylinder with adjustable stroke and large force. To ensure the welding effect of welding large workpieces.



Welding sample display



Technical parameters:					
Model	JD-80K600L	JD-100K600L	JD-125K600L	JD-150K600L	JD-200K600L
Rated power KVA	80	100	125	150	200
Input voltage V	380V 50/60HZ				
Maximum short circuit current A	27000	29000	31000	32000	34000
MM Diameter of welded iron pipe MM	≤20	≤30	≤35	≤40	≤50
Cooling water volume L/LIN	10	10	10	12	12
Weight KG	450	500	550	580	630

every equipment, we must ac Warm tip:			
our products are constantly u If the color or structure chang	ges, the real object shall prevail.		
J [#] 8°	Dongguan Jinghongxiang Au	tomation Equipment Co., Ltd	d.

13925780098 jhx16888@gmail.com
 wire-bendingmachine.com
 No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China