

# Automatic Iron Wire Straightening Cutting Machine Mechanical 2-5MM

Guangdong, China

Jin Hongxiang

CE

JZ2-5

Negotiable

Export safety wooden case

50 Set/Sets per Month

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time: 5-10 days or negotiation
- Supply Ability:



## **Product Specification**

Product Name: Straightening And Cutting Machine Core Components: Motor, Cast Iron, Machined Parts • Power: 0.75+1.5KW • Warranty: 1 Year, 1 Years • Key Selling Points: Fully Automatic, Low Price, Small Straightening Length Error, Widely Used In Hardware, Machinery, • Applicable Industries: Electrical, Instrumentation, Construction And Other Industries. • Weight (KG): 260 Control System: Fully Automatic, Low Price, Small Straightening Length Error, • Highlight: Iron Wire Straightening Cutting Machine, Mechanical Wire Straightening Cutting Machine, Automatic Wire Straightening And Cutting

Machine



#### Iron Wire Straightening And Cutting Machine Mechanical 2-5MM

#### Other names

Straightening and cutting machine, straightening machine, linear machine, cutting machine, straightening machine, 1-2.5MM straightening machine, 2-5MM straightening machine, 5-9MM straightening machine, small straightening machine, medium straightening machine, large straightening machine,



### Performance Characteristics

1. It is suitable for straightening and cutting carbon steel wire, stainless steel wire, iron wire, non-ferrous metal wire with

high hardness, etc.

2. Reasonable structure, beautiful appearance and low noise.

3. Mechanical accessories are well made, exquisitely assembled and have long service life.

4. It is divided into various models, large, medium and small, and the input voltage is 380V.

5. Automatic straightening and cutting, wire feeding speed 16-28m / min, length error plus or minus 0.2mm.

6. Cutting length range: 50-2000mm. All copper motor.

7. Main configuration: 1 main machine, 2m fixed length rod and 1 feeding line frame.

8. Vulnerable accessories: 2 cutters, 2 wire holes and 2 sets of straightening blocks (nodular cast iron).

1. CNC precision turning and milling are standardized from each large head, large rotating shaft, slider to small cap. Good coordination of the whole machine to ensure stable operation of the machine.







Technical parameter					
Model	JZ1-2.5	JZ2-5	JZ5-9	JZ9-12	JZ12-16
Max.diameter	φ2.5mm	φ5mm	φ9mm	φ12mm	φ16mm
Max.length	1000mm	2000mm	2000mm	2000mm	2000mm
Straighten deliver link speed	16-25m/min	16-25m/min	16-25m/min	15-18m/min	15-18m/min
Power	0.55+0.55kw	0.55+1.5kw	1.5+5.5kw	3+7.5kw	3+10kw
Weight	140kg	250kg	450kg	600kg	800kg



**J** Dongguan Jinghongxiang Automation Equipment Co., Ltd.

C 13925780098 S jhx16888@gmail.com C wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China