

# Double Head Stopper Nut Assembly Machine Automatic PLC Programming

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price: \$12,888.00/sets 1-1 sets

Guangdong, China

Export wooden case

Jin Hongxiang

CE

JDS

- Packaging Details:
- Supply Ability: 100 Set/Sets per Month





# Product Specification

Condition:	New
<ul> <li>Machine Type:</li> </ul>	Double Head Nut Stopper Machine
<ul> <li>Weight (KG):</li> </ul>	1350
• Video Outgoing-inspection:	Provided
<ul> <li>Marketing Type:</li> </ul>	Ordinary Product
Warranty Of Core Components:	1 Year
Core Components:	Motor, PLC, Display Screen,
• Warranty:	1 Year, 1 Years
Key Selling Points:	Double Headed Plug Nut, Fully Automatic, Durable And Fast.
Applicable Industries:	Iron Pipe Furniture, Hardware Household Products
<ul> <li>Product Name:</li> </ul>	Iron Pipe Double Headed Plug Nut Machine
• MOQ:	1 Set
Packing:	Export Wooden Case


### **Product Description**

### **Double Head Nut Stopper Machine For Iron Pipe**

#### Name:


JDS nut stopper machine, double head nut stopper machine, automatic stopper machine, cap stopper machine, nut stopper machine, pipe stopper machine Iron Pipe Screw Plug Machine





#### **Overview and application**

The machine can quickly and automatically drive the nut into both ends of the iron pipe, and shrink the mouth, so that the nut is fixed at the port, which is convenient for screwing or assembling the product. It is mainly used in iron pipe furniture industry and storage rack industry.



#### Performance characteristics


1. The double head vibrating disc can automatically feed and plug.

2. Automatic pipe feeding, automatic burr brushing, automatic plug feeding, automatic plug punching, automatic necking and automatic discharge.

- 3. It can be used for iron pipe with diameter of 12-25mm. Different pipe plugs are fed with different vibrating discs.
- 4. Circuit PLC programming, man-machine interface display, convenient and simple setting.
- 5. All feeding moving parts are slide rails and sliders, which move stably and light.
- 6. The frame square steel is reinforced and welded, stable, solid and durable.,
- 7. The plugging speed is fast, more than 30% higher than that of similar equipment.

#### Detail display

1. Automatic feeding and burr brushing of iron pipes. Frame thickened square pipe welding.





Product display



#### Technical parameter

Model	Hydraulic motor	Iron pipe size	Length	Dimension (M)	Weight
JDS	6.6KW	φ9-25MM	320-1000MM	2.95*2.15*1.55	1350KG

displayed are differ	ent from the real obj	and adjusting. If the picture ect, confirmed when placing th		
	Donggua 13925780098	n Jinghongxiang Autom	ation Equipment Co., Ltd.	